

Cisco SD208P 8-Port 10/100 Switch with PoE Cisco Small Business Unmanaged Switches

Great Performance and PoE in a Compact Size

Highlights

- Connects up to eight network devices—including computers, printers, and servers—to share and transfer files and videos across your network
- Power over Ethernet (PoE) easily and cost-effectively powers IP telephones, wireless access points, and video cameras
- Integrated port-based quality of service (QoS) prioritizes networking traffic for better network performance
- Works right out of the box with no software to configure
- Compact size and a no-fan design provide multiple placement options with silent switch operation

As your small business grows and you add more employees, you need to keep your business connected in order to communicate effectively and share resources. Your employees need the ability to communicate with each other and with customers, share printers and access business files. To do all this, you need an easy-to-use, cost-effective solution that requires minimal management.

The Cisco® SD208P 8-Port 10/100 Switch (Figure 1) offers the performance and ease of use you need to get your business connected quickly and easily. Designed and priced for small businesses that want a simple network solution, the switch works right out of the box with no software to configure and features PoE to power network attached devices. You can use this switch to connect computers, printers, IP telephones, wireless access points, and servers to create a reliable network.

Figure 1. Cisco SD208P 8-Port 10/100 Switch



Product Overview

The Cisco SD208P 8-Port 10/100 Switch is a unmanaged Ethernet switch providing wire-speed Fast Ethernet connectivity, Power over Ethernet, quality of service, and ease of use to support your business needs. The Cisco SD208P works right out of the box with no software to configure - simply plug in the Ethernet cables and power cord and the switch is ready to work. The compact size and no-fan design ensure silent operation and provide the flexibility of multiple placement options.

Features

- Fast Ethernet enhances the performance of business applications and uses network bandwidth more efficiently
- Power over Ethernet on four ports powers network-attached devices such as IP telephones, wireless access points, or video surveillance cameras directly over the connection, simplifying installation and eliminating the need for separate power supplies or an AC power outlet
- Automatic medium dependent interface (MDI) and MDI crossover (MDI-X) detection on all ports ensures that the correct cable type is selected
- Auto speed negotiation allows each port to independently and automatically negotiate for the best speed and half- or full-duplex mode
- Efficient self-learning address recognition mechanism performs forwarding and filtering at non-blocking full wire speed
- Fast store-and-forward switching prevents damaged packets from being passed onto the network
- Integrated port-based QoS on all eight ports prioritizes networking traffic such as voice, video, and data to help optimize network performance
- No-fan design helps ensure silent switch operation
- Compact size provides multiple placement options
- Cisco reliability and a limited lifetime warranty help provide peace of mind

Specifications

Table 1 gives the product specifications for the Cisco SD208P 8-Port 10/100 Switch with PoE.

Table 1. Specifications for the Cisco SD208P 8-Port 10/100 Switch

Specifications	
Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3af
Ports	8 RJ-45 10/100
Cabling type	Category 5 Ethernet
LEDs	Link/Act (ports 1–8) PoE Status (ports 1–4) Power PoE Max
Power over Ethernet (PoE)	PoE Watt Budget: 32W 802.3af Power Consumption: 32W maximum (Ports 1 - 4)
Environmental	
Dimensions W x H x D	5.51 x 1.31 x 5.51 in. (140 x 33.35 x 140 mm)
Unit weight	11.6 oz (0.33 kg)
Power	DC 48V/1.25A
Certification	FCC Class B, CE

Operating temperature	0° to 104°F (0° to 40°C)
Storage temperature	-40° to 158°F (-40° to 75°C)
Operating humidity	20% to 95%, noncondensing
Storage humidity	5% to 90%, noncondensing
Package Contents	
<ul style="list-style-type: none"> • 8-port 10/100 switch • Power adapter • Quick Start Guide 	
Minimum Requirements	
<ul style="list-style-type: none"> • 200-MHz or faster processor • 64 MB RAM recommended • Ethernet adapter capable of 10 Mbps • Windows 95/98/Me/NT 4.0/2000/XP 	
Product Warranty	
Limited lifetime hardware warranty with return to factory replacement and 1-year limited warranty for fans and power supplies.	

Cisco Limited Lifetime Hardware Warranty

Cisco Small Business products offer a limited lifetime hardware warranty with return to factory replacement and a 1-year limited warranty for fans and power supplies. In addition, Cisco offers software application updates for bug fixes and telephone technical support at no charge for the first 12 months following the date of purchase. To download software updates, go to: <http://www.cisco.com/go/smallbiz>.

Product warranty terms and other information applicable to Cisco products are available at <http://www.cisco.com/go/warranty>.

For More Information

For more information on Cisco Small Business products and solutions, visit: <http://www.cisco.com/smallbusiness>.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)